
ASSEMBLY INSTRUCTIONS

PLEASE RETAIN THIS INSTRUCTIONS FOR REFERENCE



TIME:30-60 minutes

NUMBER OF PEOPLE: 2

Greeting!
So here I am

your new pet house

- Thanks for letting me be a home for your furry friend(s).
- They'll be cozy and protected from the weather when they're with me.
- Just remember to take care of me too, so I can last a long time.
- When you open the box, you might smell a funny smell.
  Don't worry,it's not dangerous, just let me ventilate on the balcony or in a well-ventilated area for a few days and the smell will go away.
- Be careful when you assemble because some of my parts can be sharp or heavy.Make sure all the screws are tight during installation and double-check that they're all secure before using me.
- please follow the instructions from my maker so your warranty stays good.If you are unsure about the assembly instructions in the manual, you can contact us for an assembly video if you need.
- Remember to place and use me on a flat surface to make sure it's put together correctly and works well.
- Keep me away from fire and dangerous chemicals.
- Clean me with a damp, soapy sponge without corrosive agents.
- Dry me with a soft, clean, dry cloth.
- Do not cleaning me with high pressure.
- Do not put bleach, acids, solvents, or abrasive cleaners on me.
- Check that all my bolts, screws, and knobs are tight every 90 days.




HELP CENTER

- Your full satisfaticon is our FIRST priority.
- We hope you enjoy it and have a good shopping experience.
- We are committed to resolve any issue when the item does not meet your expectations.
- Please feel free to contact us through order detail page, we will get back to you and solve them within 24 hours.



WARNING:


Manufacturer and seller expressly disclaim any liability for personal injury, property damage, or loss, whether direct, indirect, or incidental, resulting from incorrect attachment, improper use, inadequate maintenance, or neglect of this.



STEP 9

Put in ⑤*2 Bottom panel.


C M3*25 4PCS
D M3*35 8PCS



Fix ⑨*2 Roof with screws.
Fix ⑫ Roof cap with screws.










⑩ Curtain can be rolled up and attached to the Velcro on top

STEP 10




ASSEMBLY INSTRUCTION

Tool Required: Electric Drill Phillips Screwdriver

		
① Front panel	② Right panel	③ Left panel
		
④ Back panel	⑤ *2 Bottom panel	⑥ Door roof
		
⑦ Left support of door roof	⑧ Right support of door roof	⑨ *2 Roof

E M4*20 12PCS




Fix ⑬*4 Long angle iron on the four legs with screws.

STEP 7

B M3*14 16PCS


J 4PCS



Fix (J) *4 Angle iron on the four corners of inner wall with screws.

STEP 8


A M3.5*45 2PCS



Fix ⑭ Support of bottom panel on ① Front panel and ④ Back panel with screws.

STEP 5

A M3.5*45 12PCS








Attach ① Front panel 、② Right panel 、③ Left panel、④ Back panel together with screws.

STEP 6

ASSEMBLY INSTRUCTION

Tool Required: Electric Drill Phillips Screwdriver


		
⑩ Curtain	⑪ Door curtain	⑫ Roof cap
		
⑬ *4 Long angle iron	⑭ Support of bottom panel	⑮ Wooden nameplate

ASSEMBLY INSTRUCTION

Tool Required: Electric Drill Phillips Screwdriver

Parts Description			
	A	M3.5*45	16PCS+1
	B	M3*14	16PCS+1
	C	M3*25	14PCS+1
	D	M3*35	8PCS+1
	E	M4*20	12PCS+1
	F	M3*18	4PCS+1
	J		4PCS


C M3*25 3PCS



Fix ⑪ Door curtain on ① Front panel with screws.

STEP 1


C M3*25 4PCS



Fix ⑥ Door roof, ⑦ Left support of door roof, ⑧ Right support of door roof with screws.

STEP 2


A M3.5*45 2PCS
F M3*18 4PCS



Fix ⑥ Door roof, ⑦ Left support of door roof, ⑧ Right support of door roof on ① Front panel with screws.
Fix ⑮ Wooden nameplate on ① Front panel with screws.

STEP 3

C M3*25 3PCS



Fix ⑩ Curtain on ② Right panel with screws .

STEP 4